

## COMPA T OPEN AIR (4750mm)



### Description

COMPA T OPEN AIR makes it possible to undertake touristic tours to and in places which are impossible to access with bigger vehicles (models can be equipped up to 31seats).

- Tourism

- 

More than 22 Passengers

- 

No

### Technical Data

Gearbox Available  
Manual/Automatic  
Wheelbase (mm)  
4750  
GVW

7,2t

## Equipment Data

External height x length x width

3190 x 8500 x 2420 mm

Internal height x length

... x ... mm

Vehicle in detail

### BODYWORK / EXTERIOR EQUIPMENT

- Electric service door
- Rear emergency door
- Non-metallized exterior colour painting

### INTERIOR EQUIPMENT

- Floor trimmed in PVC
- LED lighting

### DRIVER COMPARTMENT

- Adjustable and air suspended driver seat, with one armrest
- Digital tachograph
- Sun coirtsains
- LDWS (Lane Departure Warning System)

### AUDIO / VIDEO

- Radio CD
- Loudspeakers
- Reverse camera

□

Alexandre  
Lecompte  
UNVI

- Spain&Portugal

Polígono Industrial de San Cibrao das Viñas, Calle acceso a Pazos s/n  
32901 San Cibrao das Viñas Ourense

Spain

+34/988/980600

[comercial@unvi.es](mailto:comercial@unvi.es)

## Disclaimer

The illustrated products are shown exclusively for demonstration purposes and are not products of Iveco Bus or its affiliates. All product information related to the body equipment is provided by the relevant bodybuilders and is published on this site by them. Iveco Bus provides no guarantee, either express or implied, as to the accuracy, completeness or usefulness of information for use of any kind by users and hereby expressly rejects responsibility for any error or omission. Iveco Bus and its affiliates accept no responsibility or liability of any nature whatsoever in relation access of this site by users, the content of information or the users' use of the site's content. Links to other sites are provided on this site solely for the user's convenience and no guarantee of any nature is given in relation to those sites or their contents and any responsibility in relation to those sites is expressly denied.

